

# Pinon Ridge Subdivision



# Bernalillo County



State of New Mexico

# Bernalillo County Environmental Health Department

Piñon Ridge Subdivision On-Site Wastewater Assessment of Affects on Groundwater Quality

December 2002

By:
Robert J. Garcia, Environmental Health Engineer
Anna Hasenbank, Water Sampler
Belinda Lucero, Water Sampler
Jeff Peterson, Hydrogeologist
Kevin Troutman, Graphics

# Contents

Appendices
Appendix

Section 1	Scope and Purpose	1
Section 2	Introduction	2
Section 3	Groundwater Chemistry	3
Section 4	Geology	5
Section 5	Conclusions and Recommendations	6
Section 6	References	7
Figures Figure	Wells with Nitrate Levels Above Detection Limits Geologic Map of area (24"x32") (not in all re Water Type One Appe Water Type Two Appe Water Type Three Appe Water Type Four Appe Water Type Five Appe	
Tables Table 1 Table 2	Water Sample Locations and Analysis Results Water Type's Addresses	

Trilinear Diagrams for different Water Types

## Scope and Purpose

Piñon Ridge Subdivision historically has had problems with on-site wastewater systems. These problems stem from lots with limited topsoil, lots that are small (<.4 acres) and the required private well setback distances (100' minimum).

Private wells are used for drinking water. The development is old, with high-density development, a number of failed on-site wastewater systems, and fractured bedrock underlies the area. These factors compelled Bernalillo County Environmental Health Department (BCEHD) to study the area for groundwater contamination from septic tank effluent. The results of the findings will form the basis of the needs assessment for wastewater management.

Groundwater was sampled from a convenience sample of 45 volunteer participants from the community for constituents that may show effects of wastewater on the local groundwater. The local groundwater is the drinking water source for the subdivision. Participants volunteered by responding to survey questionnaires that were mailed to them and handed out at public meetings asking them to participate.

Table 1 is the list of participants that had their well water source sampled. Table 1 also shows the analysis of the water sampled. A sampling site location base map is included on Figure 1.

#### Introduction

The Piñon Ridge Subdivision was platted in the mid 1960's for approximately 225 lots of approximately ½ acre size. Some lots are as small as .34 acres and some as large as 1.2 acres. There are approximately 143 homes with on-site wastewater (septic) systems and drinking water from private water supplies. Because some households discharge wastewater effluent into poor quality shallow soils, there is the continuous environmental health threat of surfacing sewage. In the last ten years there have been twenty failed systems reported and documented. Wastewater contractors have informed Bernalillo County Environmental Health staff that some failed systems have not been reported at the request of homeowners.

The principal threats to groundwater quality are bacteriological and nitrate contamination. Bacteria are present in domestic wastewater. Nitrates are produced from wastewater effluent. Nitrates are a major groundwater quality concern in areas where onsite wastewater is discharged into soil. The nitrate molecule carries a negative charge and, therefore, does not sorb to negatively charged soil particles; this enables nitrate to migrate in subsurface environments.

Prevention of groundwater contamination from inadequate wastewater treatment is a major concern. Some residents are unaware of how to maintain their wastewater systems.

The new Bernalillo County Wastewater Ordinance (12/00) requires alternative wastewater systems on small lots or lots with unsuitable soil. These alternative systems, when operated and maintained properly, can perform some denitrification and disinfection of wastewater effluent before it is disposed in the soil.

# 2.1 Sampling Methods

Groundwater samples were collected at locations listed in Table 1 and shown on Figure 1. To ensure that samples were collected properly, most of the wells were purged. Sample containers were filled at each site and were placed on ice for delivery to New Mexico Department of Health, Scientific Laboratory Division (NMDOH/SLD) within the allotted holding time.

# **Groundwater Chemistry**

The main goal of the water quality analyses was to evaluate the impact of on-site wastewater disposal systems.

Assuming background concentrations for nitrate are below the method's detection limit (<.1 mg/L), the presence of nitrate in 32 of the 46 well water systems sampled suggests that on-site wastewater systems are degrading groundwater quality in the Piñon Ridge Subdivision area. The average nitrate concentration of the wells in which it was detected was 1.63 mg/L, and the maximum nitrate concentration was 4.2 mg/L, both of which are below the groundwater standard of 10 mg/L, as established by the New Mexico Water Quality Control Commission (NMWQCC).

The results suggest that the quantity of nitrate reaching groundwater is limited, as a result of the thickness of the vadose zone in the area and low precipitation. It appears that nitrate is undergoing denitrification during transport in anaerobic microzones of the soil column.

Local wells in the area have experienced severe water level drops and many wells in the area have recently gone dry.

Water samples were also analyzed for cations and anions to determine if everyone was using the same water source. Trilinear diagrams were used to show this relationship and are enclosed in the report (Appendix).

Six different water types were identified with the water analysis results of cations and anions plotted on the trilinear diagrams. When a mineral is dissolved in water, the cations and anions of which it is composed will attain a specific concentration. The locations of the six water types are shown on Figures 4 through 9 and on Table 2.

Water type number one (Figure 4) is classified as saline. This water is high in sodium, potassium, chloride and sulfate. This water quality was influenced by an aquifer containing shale.

This water had an average nitrate concentration of .62 mg/L. The maximum nitrate concentration was 1.9 mg/L and the lowest nitrate concentration was .15 mg/L. This water was low in hardness. However, TDS averaged 1465 with a high of 1720 and a low of 1020. Sulfate averaged 665 mg/L with a high of 950 mg/L and a low of 234 mg/L.

Water type number two (Figure 5) is classified as permanent hardness. This water is high in calcium, magnesium, chloride and sulfate. This water quality was influenced by an aquifer containing gypsum and shale.

This water had an average nitrate concentration of .24 mg/L. The maximum nitrate concentration was 1.3 mg/L and the lowest nitrate concentration was <.1 mg/L. This water had an average TDS of 1673 with a high of 2300 and a low of 1190. Sulfate averaged 876 with a high of 1480 and a low of 643.

5 pm 3

Water type number three (Figure 6) did not have a distinct classification. This water had an average nitrate concentration of 2.0 mg/L. The maximum nitrate concentration was 3.6 mg/L and the lowest nitrate concentration was <.1 mg/L. This water had an average TDS of 532 with a high of 1110 and a low of 384. This water had an average sulfate concentration of 29.3 with a high of 39.7 and a low of 20.9.

Water type number four (Figure 7) did not have a distinct classification. This water had an average nitrate concentration of 2.75 mg/L. The maximum nitrate concentration was 4.2 mg/L and the lowest nitrate concentration was <.1 mg/L. This water had an average TDS of 985 with a high of 1100 and a low of 800. This water had an average sulfate concentration of 41.9 with a high of 145 and a low of 7.3.

**Water type number five** (Figure 8) did not have a distinct classification. This water had an average nitrate concentration of 1.8 mg/L. The maximum nitrate concentration was 4.0 mg/L and the lowest nitrate concentration was <.1 mg/L. This water had an average TDS of 997 with a high of 1460 and a low of 712. This water had an average sulfate concentration of 182 with a high of 374 and a low of 30.7.

Water type number six (Figure 9) is classified as permanent hardness. This water is high in calcium, magnesium, chloride and sulfate. This water quality was influenced by an aquifer containing gypsum and calcite.

This water had an average nitrate concentration of .27 mg/L. The maximum nitrate concentration was 1.1 mg/L and the lowest nitrate concentration was < .1 mg/L. This water had an average TDS of 1331 with a high of 1740 and a low of 1010. This water had an average sulfate concentration of 668.5 with a high of 1040 and a low of 251.

Page 4

# Geology

#### Geologic Structure and Units

The Piñon Ridge Subdivision lies within the Sandia Basin administered by the Office of the State Engineer. The geology of the Sandia Basin is characterized by complex fracture flow hydrology and is controlled by geologic structure. Geology that underlies the Piñon Ridge Subdivision includes sedimentary rocks, primarily sandstone, which makes up the underlying aquifers and groundwater producing zones. Both Jurassic and Cretaceous age units exist and include the Bluff Sandstone, Morrison Formation and the Dakota Formation. These beds dip towards the east and are geologically controlled by the Tijeras Fault Zone to the east and the Tijeras Syncline to the west. In the fareastern portion of the Piñon Ridge Subdivision, deeper domestic wells can be completed in the Mancos Shale, a poorer quality formation and aquifer with elevated levels of sulfide, TDS and iron. Groundwater flow is generally to east/southeast due to the orientation of the underlying geology and easterly dip of the bedding planes. A map of the Sandia Park Quadrangle, produced by the New Mexico Bureau of Geology and Mineral Resources, is included in Figure 3.

### Geologic Control of Water Resources

Complexities in the groundwater flow system arise because of the high degree of faulting, folding and fracturing in the Sandia Basin. Faulting, associated fracturing and folding have affected the hydraulic properties of fracture-flow aquifers in the following five ways (Daniel B. Stephens and Associates, Inc., 1994). First, lateral continuity tends to be reduced at faults by positioning high-permeability formations next to lowpermeability formations. Second, faults that are initially vertical conduits for groundwater flow tend to become sealed by chemical deposition through time. Third, movement along faults can smear clay-rich sediment along the fault surface, thereby causing the fault to become a ground-water flow barrier. Fourth, faulting tends to disrupt the primary storage characteristics of bedrock aquifers by affecting apertures and the extent of bedding planes, solution channels, orientation of bedding planes, and the horizontal and vertical continuity of bedding planes. Fifth, groundwater flow in fractured porous aquifers is further complicated by flow in the porous blocks. Groundwater in sedimentary aquifer blocks may flow in the direction of the hydraulic gradient while ground water in fractures may move in a direction parallel to the direction of the fractures.

## Conclusions and Recommendations

Water from forty-six wells located in the Piñon Ridge Subdivision was sampled. The analysis results showed approximately 70% of the wells were impacted by on-site wastewater systems. However, the analysis also showed none of the water from these wells exceeded drinking water limits. The maximum nitrate concentration was 4.2 mg/L, which is below the drinking water standard of 10 mg/L.

Because the subdivision is not totally built-out (37% remaining) and the Bernalillo County Wastewater Ordinance (2000) now requires some treatment prior to disposing of wastewater on small lots, the subdivision has time to ponder the formation of a wastewater management district. Because 69% of water sources were not sampled, there remains the possibility that an individual well may have nitrate levels exceeding drinking water levels. Some residents in the subdivision share wells, and that decreases the number of water sources.


There were six distinct water sources discovered in the subdivision. Some were more impacted than others by on-site wastewater systems. These water types are discussed in Section 3 of this report. However, water type number three had the highest average nitrate concentrations. Water type number two had the highest average sulfate and TDS concentrations (natural, not attributable to on-site wastewater).


Sulfate can be a concern in the concentrations measured. The state groundwater standard for sulfate is 600.0 mg/L. High sulfate concentrations exert a laxative effect and sometimes diarrhea following acute exposures. However, these effects are not observed for longer-term exposures. This may be because of acclimation to sulfate over time. Due to the poor quality of some of the natural waters in this area, it my be a good idea to sample for other contaminants, such as arsenic, that may affect human health.


Bernalillo County Environmental Health Department (BCEHD) intends to provide educational information to the residents for the individual management of personal wastewater systems. If the citizens of Piñon Ridge organize and purse a wastewater management entity for the subdivision, BCEHD is available to assist with technical and some administrative functions.


# References


- Hounslow, <u>Water Quality Data Analysis and Interpretation</u>. Boca Raton, LA: Lewis Publishers (CRC).
- U.S. Environmental Protection Agency (<a href="http://www.epa.gov/safewater/mcl.html">http://www.epa.gov/safewater/mcl.html</a>)






































































































































### Figure 3

### Color Map Of

### Geology of Sandia Park quadrangle, Bernalillo and Sandoval Counties, New Mexico

#### MAP NOT INCLUDED

Can be obtained from the NM Bureau of Mines & Mineral Resources (NMBMMR Open File Map Series OF-GM-1) at New Mexico Tech.

### **APPENDIX**

### WATER TYPE 1

RANCH RD

## Legend

Located Wells

Parcel Boundaries

# Water Type



46 Mulberry Lp 37 Mulberry Lp 66 Juniper Hill Lp 15 Aspen Lp

PINON TR

JUNIPER CT

MULHERY

BOYES LN

SPENIP

departition

PT HTAON


ᆸ


KAO


귑


ENI P














# Legend

Located Wells

Parcel Boundaries

# Water Type







14 Pine Lp 37 Juniper Hill Lp 5 Juniper Hill PI 2 Mulberry Ct 64 Juniper Hill Lp 35 Fir Lp 20 Sycamore Dr 6 Pine Lp 5 Pine PI 4 Juniper Hill Lp


FIGURE 5





### WATER TYPE 2



























## Legend


Located Wells


Parcel Boundaries





23 Ridge 41 Mulberry Lp 12 Cedar Hill Dr 5 Mulberry Lp 27 Ridge Dr 88 Juniper Hill Lp 87 Juniper Hill Lp 91 Juniper Hill Lp

























## Legend

Located Wells


Parcel Boundaries


# Water Type





3 Mulberry Lp 8 Cedar Hill Dr 38 Juniper Hill Lp Right of Way (not mapped)


FIGURE 7















Located Wells


FIGURE 8


























# Legend

Located Wells


Parcel Boundaries


Water Type


6 Oak PI 19 Juniper Hill Lp 7 Fir Lp 58 Juniper Hill Lp 3 Fir Lp 28 Ridge Dr 9 Juniper Hill Lp 17 Juniper Hill Lp 15 Juniper Hill Lp 8 Juniper Hill Lp





FIGURE 9





























### **TABLES**

#### TABLE 2

#### WATER TYPE 4 WATER TYPE 1

3 Mulberry Lp 46 Mulberry Lp 8 Cedar Hill Dr 37 Mulberry Lp 38 Juniper Hill Lp 66 Juniper Hill Lp Right of Way 15 Aspen Lp

#### WATER TYPE 5 WATER TYPE 2

32 Ridge Dr 14 Pine Lp 7 Cedar Hill Lp 37 Juniper Hill Lp 24 Ridge Dr 5 Juniper Hill Pl 27 Pine Lp 2 Mulberry Ct 10 Fir Lp 64 Juniper Hill Lp 5 Sycamore Dr 35 Fir Lp 22 Juniper Hill Lp 20 Sycamore Dr 16 Juniper Hill Lp 6 Pine Lp 102 Juniper Hill Lp 5 Pine Pl 32 Juniper Hill Lp

#### WATER TYPE 6 WATER TYPE 3

4 Juniper Hill Lp

6 Oak Pl 23 Ridge 19 Juniper Hill Lp 41 Mulberry Lp 7 Fir Lp 12 Cedar Hill Dr 58 Juniper Hill Lp 5 Mulberry Lp 3 Fir Lp 27 Ridge Dr 28 Ridge Dr 88 Juniper Hill Lp 9 Juniper Hill Lp 97 Juniper Hill Lp 17 Juniper Hill Lp 91 Juniper Hill Lp 15 Juniper Hill Lp

8 Juniper Hill Lp

### **FIGURES**

# Pinon Ridge Subdivision

## Legend

Located Wells

Sampled Parcels

Parcel Boundaries

# Pinon Ridge Subdivision

Located Wells

Parcel Boundaries

		_		,	_		_	•			_			_				_	_			
					1		+	1	- 1		١			_	ļ	_	L	1		i		
1		- 1	Purged	BT-Total	E.Coli	- [	Ammonia	NX.	- 1	tassium									ultate	Ŧ		Balance
		-				17		0.00		5	200	900	410	100	200		707	142	148	7 6	1030	1 36
No.   Continue   No.		well	Yes			- 3	0.0	0.312	1.412	0.90	30.0	080	2 6	90.7	296	0	200	7 2 2 2 2 2	2 2	7 47	1,000	2
		Kitchen sink	Yes		Absent	- i	0.7	0.0	4,0	9	40.1	00/	077	49.0	107	5 6	3 5	4.00	200	7.47	77	
		Kitchen sink	Yes	Absent	Absent	0.7	7.0	E.U. 0	4.0	€ 4	6.17	(Q)	277	0. 0.	197	5 6	040	2.00	325	7.33	1340	1.12
		Vitobon cink	S 5	Dracont	Absont	5 0	0.2	2 6	400	7 4	2.0	834	260	44.7	246	0 0	263	15.5	069	7.45	1250	0.648
		Outside Tan	ν Δ Α	Ahsent	Absent	0.16	1 16	2.16	2.32	7 4	519	17.8	7.13	⊽	173	0	211	19.2	950	7.42	1620	-1.8
		Kitchen sink	Yes	Absent	Absent	0.53	1,53	2.53	3.06	\$	65.7	574	149	49.3	285	0	348	186	168	7.65	940	-0.4
		Outside Tap	Yes	Absent	Absent	1.	2.1	3,1	4.2	\$	32.9	841	231	64.2	269	0	329	338	251	80	1290	-5
No.   Contact No.   No		Kitchen sink	Yes	Absent	Absent	0.1	0.2	0.3	0.4	\$	91.4	100	30.9	5.55	168;	0	205	92.8	28.6	7.9	424	4.7
	Г	Outside Tap	Yes	Present	Absent	6,	2.3	3,3	4,6	₹	44.1	890	302	32.9	170	0	207	<10	759	7.51	1340	1.27
		Kitchen sink	Yes	Absent	Absent	0.11	0.1	0.1	0.1	\$	20.9	1530	590	14.8	178	0	217	14	1240	7.31	2000	2.78
		Outside Tap	Yes	Absent	Absent	1.9	0.1	0.293	2.193	381	14.4	<6.6	₹	₹	246	0	300	107	234	7.42	1020	-10
No.   Contact   No.		Kitchen sink	Yes	Present	Absent	0.1	0.1	0.1	0.2	\$	54.5	775	239	43.4	210	0	257	16	643	7.24	1190	-0.57
No. Outside in No.	٩	Outside Tap	Yes	Absent	Absent	0.1	0.1	0.1	0.2	8	88	936	296	48.2	167	0	204	ot>	868	7.64	1580	1.1
No.         Counted Tay         No.         Counted Tay         Counted	Τ.	Kitchen sink	Yes	Absent	Absent	3.2	0.1	0.391	3.591	\$	109	625	176	44.9	222	0	270	422	30.7	7.44	1460	0.825
Yeas         Properties         Properties </td <td></td> <td>Outside Tap</td> <td>Yes</td> <td>Absent</td> <td>Absent</td> <td>(2.8)</td> <td>0.1</td> <td>0.194</td> <td>2.994</td> <td>\$</td> <td>51.9</td> <td>525</td> <td>137</td> <td>44.7</td> <td>295</td> <td>0</td> <td>359</td> <td>106</td> <td>148</td> <td>7.59</td> <td>800</td> <td>3.24</td>		Outside Tap	Yes	Absent	Absent	(2.8)	0.1	0.194	2.994	\$	51.9	525	137	44.7	295	0	359	106	148	7.59	800	3.24
		Pump house	8	n/a	п/а	0.13	0.1	0.114	0.244	\$	45.9	1280	472	23.5	165	0	202	12.3	1070	7.12	1740	2.72
Yes                 Commentation                  Commentation                  Commentation                      Commentation                       Commentation                       Commentation                      Commentation                       Commentation                       Commentation                      Commentation                       Commentation                       Commentation		Outside Tap	Yes	n/a	п/а	0.1	0.1	0.1	0.2	\$	41.9	570	161	41.1	268	0	327	28.2	374	7.12	884	-2.7
Yes         Chingia Diagne Wes         Name         Ont         Col		Kitchen sink	Yes	n/a	n/a	2.4	0.1	0.209	2.609	\$	125	103	29.7	7.08	191	0	233	108	23.7	7.73	430	1.1
Ves         Oblighed Fight         Ves         Absent         Absent         Columbia         Columbia Circle		Pump house	Yes	n/a	n/a	0.1	0.1	0.1	0.2	\$	57.3	686	333	38.6	159	0	194	<10	949	7.49	1550	-1.5
No.         Absent         Absent         0.1         0.1         0.2         7.3         1.00         0.2         2.2         2.0         0.2         2.0         1.0         0.0	T	Outside Tap	Yes	Absent	Absent	0.1	0.1	0.1	0.2	∜	77	1660	620	27.9	159	0	194	<10	1480	7.06	2300	3.36
Yea         Original Includents         No.         Present         Absent         Absent         4.2         4.4         4.2         4.2         4.4         4.6         4.		Kitchen sink	Yes	Absent	Absent	0.13	0.1	0.1	0.23	\$	37.3	1030	365	28.4	174	0	212	10.8	933	7.14	1530	-2.2
No.         Columnia cult.         Year         Absent         Absent         6.13         0.13         1.434         4.64         6.65         6.84 <td>1</td> <td>Garage</td> <td>2</td> <td>Present</td> <td>Absent</td> <td>4.2</td> <td>0.1</td> <td>0.261</td> <td>4.461</td> <td>\$</td> <td>76.4</td> <td>428</td> <td>119</td> <td>31.7</td> <td>231</td> <td>0</td> <td>282</td> <td>289</td> <td>16.3</td> <td>7.3</td> <td>1010</td> <td>-4.9</td>	1	Garage	2	Present	Absent	4.2	0.1	0.261	4.461	\$	76.4	428	119	31.7	231	0	282	289	16.3	7.3	1010	-4.9
Yes         Outside Tip         Yes         Absent         Absent         Col	و	Kitchen sink	Yes	Absent	Absent	1.3	0.1	0.134	1.434	₽	83	96	29.7	4.81	182	0	222	59.8	29.5	8.05	384	4
Yes         Outstand Figs         Yes         Cheerent         Absent         Absent         Outstand         0.14         0.12         0.20         1.		Outside Tap	Yes	Absent	Absent	0.21	0.1	0.1	0.31	1110	8.69	38	15.2	7	176	0	214	15.9	1170	7.67	2250	2.12
No.         Kitchen silk         Yea         Present         Absent         3.4         0.1         0.22         3.6         1.0         2.0         2.0         1.0         2.0		Outside Tap	Yes	Absent	Absent	0.15	0.1	0.1	0.25	915	20.6	7.87	3.15	7	193	0	235	<10	860	7.61	1720	5.83
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		Kitchen sink	Yes	Present	Absent	3.4	0.1	0.22	3.62	\$	144	221	71.2	10.5	213	0	260	150	29.3	7.88	532	7.9
High   Yes   Kitchen sink   Yes   Absent   Abs	Lp.	Kitchen sink	ş	Present	Absent	0.26	0.1	0.227	0.487	670	74	9.9>	1.25	٧	158	0	193	112	613	7.85	1500	3.36
No.		Kitchen sink	Yes	Absent	Absent	0.1	0.1	0.1	0.2	8.98	55.7	754	225	46.7	236	0	288	14.2	592	7.42	1230	0.734
No         Kilchen sink         Yes         Absent         Absent         0.1         0.1         0.1         0.2         5.5         5.8.1         4.6         110         44.9         219         0         267         2.1         2.0         7.68         800           Pres         Outside tap         Yes         Yes <td></td> <td>Kitchen sink</td> <td>Yes</td> <td>Absent</td> <td>Absent</td> <td>1.5</td> <td>0.1</td> <td>0.177</td> <td>1.677</td> <td>&lt;5</td> <td>77.3</td> <td>404</td> <td>134</td> <td>16.6</td> <td>232</td> <td>0</td> <td>283</td> <td>74.5</td> <td>198</td> <td>7.4</td> <td>712</td> <td>2.51</td>		Kitchen sink	Yes	Absent	Absent	1.5	0.1	0.177	1.677	<5	77.3	404	134	16.6	232	0	283	74.5	198	7.4	712	2.51
Yes         Outside Table         Yes         Absent         Absent         3.5         0.1         0.281         4.96         164         18.7         27.1         0.4         1.87         7.10         0.285         4.96         164         18.7         27.1         14.1         66.9         7.63         14.1         66.9         7.63         14.1         66.9         7.63         14.1         66.9         7.63         17.0         7.80		Kitchen sink	Yes	Absent	Absent	0.1	0.1	0.1	0.2	5,59	58.1	461	110	44.9	219	0	267	21.3	298	7.68	800	3.02
Yes         Utility room         Yes         Diffice range         Absent         Absent         Absent         0.43         0.1         0.23         45/7         75/2         49/8         19.5         26/9         26/7         75/2         49/8         75/2         49/8         75/2         49/8         75/2         49/8         75/2         7		Outside Tap	Yes	Absent	Absent	3.5	0.1	0.281	3.781	₩.	39.8	486	164	18.7	211	0	257	141	64.9	7.63	780	9.01
No         Nuclticle sink         Yes         Absent         Absent         Cuttle sink         Yes         Absent         Abse		Utility room	Yes	Present	Absent	0.43	1.0	0.1	0.53	9 5	7.70	1320	498	19.5	209	5 6	700	32.7	1040	7.40	1670	4. 2
r         Yes         Outside Tap         No         Absent		Kitchen sink	× ×	Absent	Absent	t @	5 0	0.513	2.313	7 \$	146	103	34.4	4.16	99.2	0	121	160	28.5	7.92	200	8.62
No         Citchen sink         Yes         Absent         Absent         2.5         0.1         0.472         2.972         <-5         104         157         52.6         6.13         180         0         219         108         39.7         7.84         482           No         Outside Tap         No         Present         Absent Absent         3.2         0.1         0.424         2.2         0.1         0.231         2.431         556/739         197 (86.1)         2.56(6.3)         2.5         19         10.8         4.4         7.45         7.44         7.45         7.34         7	Ι.	Outside Tan	S	Absent	Absent	3.6	0.1	0.525	4.125	388	76.7	×6.6	₹	₹	234	0	286	338	20.9	7.84	1110	₹
No         Outside Tap         No         Present         Absent         3.83         3.833         4.23         137         19.9         25f         0.0         116         6.64         7.45         7.44         7.25         3.8360.33         4.65         3.8360.33         4.65         3.8360.33         4.65         3.8360.33         4.65         3.8360.33         4.65         3.75         6.65         3.75         1.65         3.75         1.65         3.75         1.65         3.75         1.65         3.75         1.65         3.75         1.65         3.75         1.75         1.75         3.75		Kitchen sink	Yes	Absent	Absent	2.5	0.1	0.472	2.972	₹2	104	157	52.6	6.13	180	0	219	108	39.7	7.84	482	1.2
Yes (No.)         Outside hose         No.         Absent (Pesent)         4.06(4)         0.1(0.1)         4.34(4.422)         4.514(4.422)         4.		Outside Tap	S S	Present	Absent	3.2	0.1	0.633	3.833	\$	37	423	137	19.9	251	0	306		64.4	7.45	744	-1.9
No         Kitchen sink         Yes         Absent         Absent         2.43         6.5         38.9         656         197         15.3         256         116         247         7.3         854           No         Kitchen sink         Yes         Inde         Inde         0.1         0.308         3.16         481         143         30.4         221         0.3         2.3         7.1         481         7.3         7.4         100         100         208         2.0         3.4         2.3         7.4         100         100         208         2.0         3.4         2.3         7.4         100         100         100         208         2.0 <td< td=""><td></td><td></td><td>8</td><td>Absent(Present)</td><td>Absent(Absent)</td><td>4.08(4)</td><td>0.1(0.1)</td><td></td><td>1.514(4.422)</td><td></td><td>39.8(90.3)</td><td><u> </u></td><td></td><td></td><td>58(297)</td><td></td><td>5(362)</td><td></td><td></td><td></td><td>4(1460)</td><td>2.7 (-2.8</td></td<>			8	Absent(Present)	Absent(Absent)	4.08(4)	0.1(0.1)		1.514(4.422)		39.8(90.3)	<u> </u>			58(297)		5(362)				4(1460)	2.7 (-2.8
No         Kitchen sink         Yes         n/a         n/a         n/a         0.146         0.146         0.146		1	Yes	Absent	Absent	2.2	0.1	L	2.431	1	38.9			L	258	0	315	116		7.37	854	-2.6
Yes         Kitchen sink         Yes         n/a         n/a <t< td=""><td></td><td>Kitchen sink</td><td>Yes</td><td>n/a</td><td>n/a</td><td>2.89</td><td>0.1</td><td>0.308</td><td>3.198</td><td>\$</td><td>115</td><td>481</td><td>143</td><td>30.4</td><td>221</td><td>0</td><td>270</td><td>347</td><td>li</td><td>7.45</td><td>1100</td><td>-0.36</td></t<>		Kitchen sink	Yes	n/a	n/a	2.89	0.1	0.308	3.198	\$	115	481	143	30.4	221	0	270	347	li	7.45	1100	-0.36
No         Kitchen sink         Yes         n/e         n/e <th< td=""><td></td><td>Kitchen sink</td><td>Yes</td><td>n/a</td><td>n/a</td><td>0.146</td><td>0.1</td><td>0.1</td><td>0.246</td><td>8.27</td><td>57.1</td><td>979</td><td>346</td><td>28</td><td>171</td><td>0</td><td>208</td><td>20.4</td><td>892</td><td>7.27</td><td>1480</td><td>-0.7</td></th<>		Kitchen sink	Yes	n/a	n/a	0.146	0.1	0.1	0.246	8.27	57.1	979	346	28	171	0	208	20.4	892	7.27	1480	-0.7
No Outsice tap   Yes   Absent   Absent   Absent   Absent   O.1		Kitchen sink	Yes	n/a	n/a	1.4	0.1	0.168	1.568	∜	118	87.3	28.6	3.87	164	0	200	73	34.4	7.26	394	6.3
Yes         Outside tap         Yes         Absent         Absent         0.1		Outside tap	Yes	Absent	Absent	0.1	0.1	0.1	0.3	<5	55.6	710	222	37.7	169	0	206	<10	639	7.58	1110	-0.2(
No Outside tap No Absent Absent 0.34 0.1 0.102 0.442 <5 51.8 960 326 35.1 190 0 232 36.1 8.4 7.41		Outside tap	Yes	Absent	Absent	0.1	0.1	0.1	0.1	280	50.2	341	98.4	23.1	230	0	281	23.3	451	7.29	1010	4.7
		Outside tap	8	Absent	Absent	0.34	0.1	0.102	0.442	\$	51.8	096	326	35.1	190	0	232	36.1	824	7.41	1420	7